




# ayon audio


The New Age of Sound

PRIJZEN | Electronics | Euro | 30 September 2019

## INTEGRATED & POWER AMPLIFIER ► EL34/ KT88 SERIES

SCORPIO XS »		
	<p><b>Integrated amplifier;</b> 2x40W or 2x25W Triode –switchable, 3x12AU7, 0dB NFB, 4 x Line-In, Auto-Fixed-Bias system &amp; Tube test program;</p> <p><u>Power Tubes:</u> <b>4 x Ayon EL34</b> (standard)</p>	<p>€ 2.925,--</p> <p><b>NEW</b></p>
<b>Remote Control - Option:</b>		€ + 125,-
SCORPIO		
	<p><b>Integrated amplifier;</b> 2x45W or 2x30W Triode –switchable, 3x12AU7, 0dB NFB, 4 x Line-In, Auto-Fixed-Bias system &amp; Tube test program;</p> <p><u>Power Tubes:</u> <b>4 x Ayon KT88</b> (standard)</p>	<p>€ 3.895,--</p>
<b>Remote Control - Option:</b>		€ + 125,-
SCORPIO « Mono »		
	<p><b>Mono-Power amplifier;</b> 1 x 45W Pentode or 1x30W Triode –switchable, 1x 12AU7, 1x 12AX7, 1x RCA/I, Auto-Fixed-Bias system</p> <p><u>Power Tubes:</u> <b>4 x Ayon KT88</b> (standard)</p>	<p>€ 4.295,--</p> <p>pair</p>

## SET-HEADPHONEAMPLIFIER

HA-3 MKII		
	<p><b>“State of the Art ”</b>, Dual Chassis design; SE-Triode design with 2 x AA45 Mesh and super-permalloy Output transformers; separate “Low” and “High” Headphone jacks, Alps volume control, 2 x 12AU7; 1 x IN/RCA, External - Separated Power Supply &amp; Choke regulated;</p>	<p>€ 3.870,--</p>

INTEGRATED & POWER AMPLIFIER ► KT150 SERIES

SPIRIT SE



**Integrated amplifier;**

2x12W Single-Ended Triode, 2xPCL86, 0dB NFB, 4 x Line In-RCA, Auto-Fixed-Bias system & Tube test program;

€ 3.140,--

**NEW**

Power Tubes: **2 x KT150** Tung-sol (standard)

**Remote Control - Option:**

€ + 125,--

SPIRIT V



**Integrated or Power amplifier;**

2x70W Pentode or 2x45W Triode -switchable, 2x12AX7, 2x 6SN7, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1 x Pre-out, RC; Auto-Fixed-Bias system & Tube test program; Power Tubes: **4 x KT150** Tung-sol (standard)

€ 5.990,--

**NEW**

SPIRIT PA



**Power amplifier;**

Differential fully balanced gain-stage design; 2x70W Pentode, 2x45W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7, 0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube test program; Power Tubes: **4 x KT150** Tung-sol (standard)

€ 5.950,--

TRITON PA



**Power amplifier;**

Differential fully balanced gain-stage design; 2x120W Pentode, 2x70W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7, 0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube test program; Power Tubes: **8 x KT150** Tung-sol (standard)

€ 9.980,--

INTEGRATED & POWER AMPLIFIER ► AA62B SERIES

SPIRITFIRE



**Integrated or Power amplifier;**

2x30W, **2xAA62B** 2x 6H30, 2x 12AU7, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct In, 1x Pre-Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;

€ 8.750,--







CROSSFIRE PA



**Power amplifier; SET**

2x30W, **2xAA62B**, 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 1x In-RCA, DHT, Auto-Fixed-Bias system & Tube test program;

€ 11.995,--

<b>TRITON EVO</b>		
	<p><b>Integrated or Power amplifier;</b>                  2 x 130W Pentode, 2 x 75W Triode -switchable, 2 x 12AU7,                  2 x 6SL7, 2 x 6SN7, 0dB NFB, RC, 3 x Line In-RCA, 1 x Line In-XLR,                  1x Direct In, 1x Pre-out; Auto-Fixed-Bias system &amp; Tube test                  program;  <u>Power Tubes: 8 x KT150 Tung-sol (standard)</u></p>	<p><b>€ 11.525,-</b>  <b>NEW</b></p>
<b>EPSILON EVO « Mono »</b>		
	<p><b>Mono-Power amplifier;</b>                  1 x 180W Pentode or 1x100W Triode –switchable,                  2x 12AU7, 2 x 6SN7, 0dB NFB, 1x Bal/I, 1x RCA/I,                  Auto-Fixed-Bias system &amp; Tube test program;  <u>Power Tubes: 12 x KT150 Tung-sol (standard)</u></p>	<p><b>€ 19.540,--</b>  pair <b>NEW</b></p>
<b>CROSSFIRE EVO – « Integrated »</b>		
	<p><b>Integrated or Power amplifier;</b>                  2x30W, <b>2xAA62B</b>, 2x ECL86, 2 x 5687, 1 x 5U4G, 3 x Line In-RCA,                  1 x Line In-XLR, 1xDirect In, 1x Pre-Out, RC, DHT, 0dB NFB;                  Auto-Fixed-Bias system &amp; Tube test program;</p>	<p><b>€ 13.420,-</b>  <b>NEW</b></p>
<b>CROSSFIRE EVO « Mono »</b>		
	<p><b>Mono-Power amplifier; SE</b>                  1x 30W or 35W*, <b>1x AA62B</b>, <b>1 x AA20B</b>, 2 x 6SN7,  <b>1x Ayon 5U4GMesh</b>, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,                  Auto-Fixed-Bias system &amp; Tube test program;</p>	<p><b>€ 23.750,--</b>  Pair</p>
<b>VULCAN EVO « Mono »</b>		
	<p><b>Mono-Power amplifier;</b>                  1x 55W or 60W*, <b>2x AA62B</b>, <b>1 x AA20B</b>, 2 x 6SN7,  <b>1x Ayon 5U4GMesh</b>, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,                  Auto-Fixed-Bias system &amp; Tube test program;</p>	<p><b>€ 30.120,--</b>  Pair</p>
Vulcan EVO	with <b>AA82B*</b>	<b>Option + € 5.130,--</b>
<b>TITAN EVO « Mono »</b>		
	<p><b>Mono-Power amplifier;</b>                  1x 75W or 85W*, <b>3x AA62B</b>, <b>1x AA20B</b>, 2x 6SN7,  <b>1x Ayon 5U4Gmesh</b>, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,                  Auto-Fixed-Bias system &amp; Tube test program;</p>	<p><b>€ 56.920,--</b>  Pair</p>
Titan EVO	with <b>AA82B*</b>	<b>Option + € 7.950,--</b>

PREAMPLIFIER

CONQUISTADOR - Linstage



**“State of the art / Cost-no-object”** Linstage- **Balanced**, Dual chassis design; 4 x AA45-Mesh, 4 x 5744; Separate External Tube Power Supply with 2 x 5U4G; 4 x Line RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, 1xTape out, RC, 4 channel VTC Volume control / 42 position — electronic-relay system;  
**LIMITED EDITION – 5 pcs. Per year only !**

€ 57.860,--

**“State of the art / Cost-no-object”** Linstage — **Unbalanced**, Dual chassis design; 2 x AA45-Mesh, 2 x 5744; Separate External Tube Power Supply with 2 x 5U4G; 6 x Line RCA/I , 2x RCA/O, 1xTape out, RC, 2 channel VTC Volume control / 42 position — electronic-relay system;  
**LIMITED EDITION – 5 pcs. Per year only !**

€ 50.250,--

NEW

SPHERIS III – Linstage



**“State of the art”** Linstage — **Balanced**, Dual chassis design; 4 x C3M 4 x EY91, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, RC, 4 channel VTC Volume control / 42 position — electronic-relay system;

€ 32.890,--

**“State of the art”** PREAMP with **PHONO**, Dual chassis design; 4 x C3M 4 x EY91, 2 x 6H30, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 1 x Phono MC, 1 x Phono MM, 2x RCA/O, 1 x BAL/O, RC, 2 channel VTC Volume control / 42 position — electronic-relay system;

€24.720,-

NEW  
Available June 2019

AURIS II



**“Reference ”** Preamp-**Balanced , Modular & upgradable design**; 4 x 6H30 PSE output stage, 4x Line In/RCA, 1 x HT/In, 2x BAL/In — XLR, 2x RCA/O, 1 x Tape Out, 1x Bal/O, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 9.950,--

**“Reference ”** Preamp-**Unbalanced , Modular & upgradable design**; 2 x 6H30 SE output stage, 4x Line In/RCA, 1 x HT/In, 2x RCA/O, 1 x Tape Out, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 7.480,--

**Signature - Balanced**

Top grade components

OPTION

+ € 2.050,--

**Signature - Unbalanced**

Top grade components

OPTION

+ € 1.050,--

**PHONO II module**

MM or MC-H (high output), MC

OPTION

+ € 2.050,--

PHONO STAGE

SPHERIS – Phono (Model 2018)




**“State of the art ”**, Dual Chassis design; 2 x MC (MC1 & MC2), 1 x Out/RCA, 1x Bal/Out, 2 x ECC81 or ECC82, 4 x 6SL7, 4 x EY91; External **AC ~ Regenerator** - Tube Power Supply & Choke regulated;


€ 29.550,--

## NETWORK PLAYER


### S-10 II

	<p><b>Network Player, Modular &amp; upgradable design,</b>                  2 x 6H30 tube output stage, RCA/O &amp; Bal/O, RC;  <u>Streamer:</u> All PCM and DSD formats, 2x USB-Type "A";  <u>DAC-Digital/IN:</u> SPDIF, TosLink, USB 24-384 &amp; DSD, USB-"B";  <u>Digital/OUT:</u> SPDIF; Ethernet-LAN &amp; WiFi  <u>PRE-Analog/IN:</u> Line 1/RCA &amp; Line 2/RCA  <u>Online Streaming services:</u> Tidal, Qobuz, HiRes Audio etc.  <u>Internet Radio:</u> Airable Radio &amp; Podcast</p>	<p><b>€ 6.850.--</b></p> <p><b>NEW</b></p>
<b>SIGNATURE version</b>	PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf Gold/Silver capacitors; <b>OPTION</b>	+ € 1.750.--
<b>PREAMP for Standard II &amp; Signature II version</b>	Quad electrical-analog volume control system with 2 pair analog line Inputs; <b>OPTION</b>	+ € 760.--
<b>SERVER for Standard II &amp; Signature II version</b>	Second self-sufficient Streamer Module with Hard Disk selection from 250GB to 2TB (mounting rack & all connectors for Hard Disk prepared, but HDD or SSD not included), Plug and play ready with JRiver Media Server pre-installed; <b>OPTION</b>	Available Autumn 2019
<b>Upgrade Kit for existing S-10 to new S-10 II version</b>	New DAC board, Main board, Digital In board, New FW etc.	Available Winter 2019

### S-5


	<p><b>Network Player, Dual chassis design;</b>                  4 x 6H30 PSE tube output stage, 4x 6C4P tube rectifier, Dual Choke, 3 x Power transformer, RCA/O &amp; Bal/O, 2 x Line /IN-RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC;  <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A";  <u>Digital/Out:</u> SPDIF; Ethernet-LAN &amp; WiFi</p>	<p><b>€ 13.950.--</b></p>
---	--	---------------------------

### S-5 XS

	<p><b>Network Player, Dual chassis design;</b>                  4 x 6922 PSE tube output stage, 4x 6Z4 tube rectifier, Dual Choke, 3 x Power transformer, RCA/O &amp; Bal/O, 2 x Line /IN-RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC;  <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A";  <u>Digital/Out:</u> SPDIF; Ethernet-LAN &amp; WiFi</p>	<p><b>€ 9.250.--</b></p> <p><b>NEW</b></p>
---	---	--

## NETWORK – TRANSPORT


### NW-T / DSD

	<p><b>Network Transport</b>                  6H14 tube buffer for digital output (SPDIF &amp; AES/EBU), 1x 6Z4 tube rectifier, Volume output control system, RC;  <u>Digital/IN:</u> 2x USB-Type "A"; Ethernet-LAN &amp; WiFi  <u>PCM - Digital/Out:</u> SPDIF, BNC, AES/EBU, I2S, TosLink,  <u>DSD Digital/Out :</u> I2S/DoP, 3 x BNC ( DSD-L, DSD-R &amp; WCK);</p>	<p><b>€ 4.295.--</b></p>
---	---	--------------------------




## CD - P L A Y E R


### CD-10 II

	<p><b>CD-Player</b>, Top Loader; <b>Modular &amp; upgradable design</b>,                  2x 6N6P SE tube output stage, RCA/O &amp; Bal/O, Volume output control, RC;  <u>PCM - Digital /IN:</u> USB-24/384kHz, SPDIF, TosLink;  <u>DSD - Digital /IN:</u> USB-DSD;  <u>Digital/Out:</u> SPDIF;</p>	<p><b>€ 4.125,--</b></p> <p><b>NEW</b></p>
<b>Signature</b>	PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf capacitors; <span style="float: right;"><b>OPTION</b></span>	<p><b>+ € 950,--</b></p>
<b>EDITION</b>	PCM-DSD converter for all PCM signals (DAC, USB and Streamer) 6H30 Tube-output-stage, Top-quality coupling capacitors and parts, <span style="float: right;"><b>OPTION</b></span>	<p><b>+ € 1.975,--</b></p>

### CD-35 Signature


	<p><b>SACD / CD-Player</b>, "Reference" - Top Loader;  <b>Modular &amp; upgradable design</b>,                  2 x 6H30 &amp; 2 x 5687 SE tube output stage, RCA/O &amp; Bal/O, Electric-Analog-Switch Volume output control system,                  2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;                  *2 x Line input – RCA, 1x Balanced input - XLR;  <u>PCM-Digital/In:</u> USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;  <u>DSD - Digital /IN:</u> USB –DSD; 3 x BNC for DSD (DSD-L, DSD-R &amp; WCK);                  PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf Gold/Silver capacitors;</p>	<p><b>€ 10.290,--</b></p>
---	--	---------------------------

### CD-35 « HF Edition »

	<p><b>SACD / CD-Player</b>, "Reference" - Top Loader;  <b>Modular &amp; upgradable design</b>,                  2 x 6H30 &amp; 2 x 5687 SE tube output stage, RCA/O &amp; Bal/O, Electric-Analog-Switch Volume output control system,                  2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;                  2 x Line input – RCA, 1x Balanced input - XLR;  <u>PCM-Digital/In:</u> USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;  <u>DSD - Digital /IN:</u> USB; 3 x BNC for DSD (DSD-L, DSD-R &amp; WCK);  <b>"HF Edition:</b> 8 x V-cap TTF coupling capacitors; 4 x Franc Audio - Ceramic Feet; 2 x WBT-210 NextGen RCA Jacks;                  20 x Tantalum 2-Watt resistors for tube output-stage;                  2 x AKM 4497EQ for DAC; Black Finish for cooling slots, Top plate buttons, CD-LID and CD-inside housing;                  All important components are matched at 1% level.  <i>Limited at 50 pieces &amp; only 1 piece per month is produced!</i></p>	<p><b>€ 20.250,--</b></p>
---	---	---------------------------

## CD - T R A N S P O R T

### CD-T II

	<p><b>CD-Transport</b>, "Reference" – Top Loader;                  2 x 6H14 tube buffer for digital output –switchable,                  2x power transformer, Word Sync In, RC;  <u>PCM-Digital/ Tube-Out:</u> SPDIF, AES/EBU, BNC,  <u>PCM-Digital/Transistor Out:</u> I2S, SPDIF, AES/EBU, BNC, TosLink;                  *<u>DSD – Digital /Out:</u> 3 x BNC for DSD (DSD-L, DSD-R &amp; WCK);</p>	<p><b>€ 5.995,--</b></p>
<b>Signature</b>	* PCM-DSD converter for CD-PCM signals; Second 6H14 tube activated <span style="float: right;"><b>OPTION</b></span>	<p><b>+ € 995,--</b></p>

## DIGITAL/ANALOG-COVERTER (DAC)

### STEALTH



#### D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;  
PCM – Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,  
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

**€ 6.995,--**

### STEALTH XS



#### D/A -Converter

4 x 6N6P PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;  
PCM – Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,  
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

**€ 5.190,--**

### STRATOS



#### D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;  
PCM – Digital /IN: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,  
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

**€ 9.995,--**

**ayon**  
audio

Ayon® is a registered Trademark, all rights reserved incl. changes in price and specifications.

Prijswijzigingen en wijzigingen in specificities voorbehouden  
 Distributeur: Mafico, Dorsvloerweg 897 2661 MN Bergschenhoek  
 tel 010 – 4148426, [www.mafico.com](http://www.mafico.com)