




ayon audio


The New Age of Sound

RETAIL PRICELIST | Electronic | euro | August 2020

INTEGRATED AMPLIFIER ► SCORPIO SERIES

SCORPIO II – EL34		
	<p>Integrated amplifier; 2x40W or 2x25W Triode –switchable, 2x6SN7 & 2x6SJ7, 0dB NFB, 4 x Line-In, Auto-Fixed-Bias system & Tube test program;</p> <p><u>Power Tubes:</u> 4 x KT34 (standard)</p>	<p>€ 3.280,--</p>
		<p>Remote Control - Option: € + 200,--</p>
SCORPIO II – KT88		
	<p>Integrated amplifier; 2x50W or 2x30W Triode –switchable, 2x6SN7 & 2x6SJ7, 0dB NFB, 4 x Line-In, Auto-Fixed-Bias system & Tube test program;</p> <p><u>Power Tubes:</u> 4 x KT88 (standard)</p>	<p>€ 3.650,--</p>
		<p>Remote Control - Option: € + 200,--</p>
SCORPIO II – KT150		
	<p>Integrated amplifier; 2x60W or 2x35W Triode –switchable, 2x6SN7 & 2x6SJ7, 0dB NFB, 4 x Line-In, RC, Auto-Fixed-Bias system & Tube test program;</p> <p><u>Power Tubes:</u> 4 x KT150 (standard)</p>	<p>€ 4.525,--</p>
		<p>Remote Control + € 200,--</p>

INTEGRATED & POWER AMPLIFIER ► KT150 SERIES

SPIRIT SE		
	<p>Integrated amplifier; 2x12W Single-Ended Triode, 2xPCL86, 0dB NFB, 4 x Line In-RCA, Auto-Fixed-Bias system & Tube test program;</p> <p><u>Power Tubes:</u> 2 x KT150 Tung-sol (standard)</p> <p>Limited to 100 pieces !</p>	<p>€ 3.240,-- SOLD OUT</p>
		<p>Remote Control + € 200,--</p>

INTEGRATED & POWER AMPLIFIER ► KT150 SERIES

SPIRIT V



Integrated or Power amplifier;

2x70W Pentode or 2x45W Triode -switchable, 2x12AX7, 2x 6SN7, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1 x Pre-out, RC; Auto-Fixed-Bias system & Tube test program; Power Tubes: 4 x KT150 Tung-sol (standard)

€ 5.995,--

SPIRIT PA



Power amplifier;

Differential fully balanced gain-stage design; 2x70W Pentode, 2x45W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7, 0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube test program; Power Tubes: 4 x KT150 Tung-sol (standard)

€ 5.850,--

INTEGRATED & POWER AMPLIFIER ► AA62B SERIES

SPITFIRE



Integrated or Power amplifier;

2x30W, **2xAA62B** 2x 6H30, 2x 12AU7, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct In, 1x Pre-Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;

€ 8.995,--

CROSSFIRE PA



Power amplifier; SET

2x30W, **2xAA62B**, 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 1x In-RCA, DHT, Auto-Fixed-Bias system & Tube test program;

€ 11.995,--

MONO-POWER AMPLIFIER ► XS - AA62B SERIES

CROSSFIRE XS « Mono »



Mono-Power amplifier;
 1 x 30W, **1x AA62B**, **1x AA20B**, 2 x 6SJ7, 1x 5U4G,
 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,
 Auto-Fixed-Bias system & Tube test program;

€ 14.995,--
pair

Limited availability and for 2020 only !

TITAN XS « Mono »



Mono-Power amplifier;
 1 x 70W, **3x AA62B**, **1x AA20B**, 2x 6SJ7, 1 x 5U4G,
 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,
 Auto-Fixed-Bias system & Tube test program;

€ 29.995,--
pair

Limited availability and for 2020 only !

INTEGRATED AMPLIFIER ► EVO SERIES

TRITON EVO « Integrated »



Integrated or Power amplifier;
 2 x 130W Pentode, 2 x 75W Triode -switchable, 2 x 12AU7,
 2 x 6SL7, 2 x 6SN7, 0dB NFB, RC, 3 x Line In-RCA, 1 x Line In-XLR,
 1x Direct In, 1x Pre-out; Auto-Fixed-Bias system & Tube test
 program;
Power Tubes: 8 x KT150 Tung-sol (standard)

€ 12.995,--

CROSSFIRE EVO « Integrated »



Integrated or Power amplifier;
 2 x 30W, **2x AA62B-S**, 2x ECL86, 2 x 5687, 1 x 5U4G,
 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1x Pre-Out, RC,
 DHT, 0dB NFB; Auto-Fixed-Bias system & Tube test program;

€ 13.995,--

CROSSFIRE EVO - DELTA « Integrated »



Integrated or Power amplifier;
 2 x 50W, **4x AA62B**, 2x ECL86, 2 x 5687, 1 x 5U4G,
 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1x Pre-Out, RC,
 DHT, 0dB NFB; Auto-Fixed-Bias system & Tube test program;

€ 19.995,--

Limited availability!

MONO - POWER AMPLIFIER ► EVO SERIES

TRITON EVO « Mono »



Mono-Power amplifier;

1 x 130W Pentode or 1 x 80W Triode –switchable,
1 x 12AU7, 1 x 6SL7, 2 x 6SN7, 0dB NFB, 1x Bal/I, 1x RCA/I,
Auto-Fixed-Bias system & Tube test program;
Power Tubes: **8 x KT150** Tung-sol (standard)

€ 16.995,--
pair

EPSILON EVO « Mono »



Mono-Power amplifier;

1 x 180W Pentode or 1 x 100W Triode –switchable,
1 x 12AU7, 1 x 6SL7, 2 x 6SN7, 0dB NFB, 1x Bal/I, 1x RCA/I,
Auto-Fixed-Bias system & Tube test program;
Power Tubes: **12 x KT150** Tung-sol (standard)

€ 22.995,--
pair

ORTHOS EVO « Mono »



Mono-Power amplifier;

1 x 220W Pentode or 1 x 140W Triode –switchable,
1 x 12AU7, 1 x 6SL7, 2 x 6SN7, 0dB NFB, 1x Bal/I, 1x RCA/I,
Auto-Fixed-Bias system & Tube test program;
Power Tubes: **16 x KT150** Tung-sol (standard)

€ 29.995,--
pair

VULCAN EVO « Mono »



Mono-Power amplifier;

1 x 55W, **2x AA62B-S**, **1 x AA20B**, **1x Ayon 5U4GMesh**, 2 x 6SN7
1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,
Auto-Fixed-Bias system & Tube test program;

€ 32.995,--
pair

MONO-POWER AMPLIFIER ► CONQUISTADOR SERIES

CONQUISTADOR « Mono »



“State of the art / Cost-no-object”

Mono-Power amplifier

100W, **4 x AA62B-S**, **1 x Ayon 5U4GMesh**,
1 x 6SN7, 1 x 6SL7, 2 x 6BQ5,
1x RCA/I, 1 x XLR/I, DHT, 0dB NFB,
Auto-Fixed-Bias system & Tube test program;

LIMITED EDITION – 5 pair per year only !

Op aanvraag
pair

SET - HEADPHONE AMPLIFIER

HA-3 MKII



“State of the Art”, Dual Chassis design;
SE-Triode design with **2 x AA45 Mesh** and super-permalloy
Output transformers; separate “Low” and “High” Headphone
jacks, Alps volume control, 2 x 12AU7; 1 x IN/RCA,
External - Separated Power Supply & Choke regulated;

€ 3.995,--

P R E A M P L I F I E R

CONQUISTADOR - Linestage



“State of the art / Cost-no-object” Linestage- **Balanced**, Dual chassis design; **4 x AA45-Mesh**, 4 x 5744; Separate External Tube Power Supply with 2 x 5U4G; 4 x Line RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, 1xTape out, RC, 4 channel VTC Volume control / 42 position — electronic-relay system;
LIMITED EDITION – 5 pcs. per year only !

€ 59.995,--

“State of the art / Cost-no-object” Linestage — **Unbalanced**, Dual chassis design; **2 x AA45-Mesh**, 2 x 5744; Separate External Tube Power Supply with 2 x 5U4G; 6 x Line RCA/I , 2x RCA/O, 1xTape out, RC, 2 channel VTC Volume control / 42 position — electronic-relay system;
LIMITED EDITION – 3 pcs. per year only !

€ 49.995,--

SPHERIS III - Linestage



“State of the art” Linestage — **Balanced**, Dual chassis design; 4 x C3M 4 x EY91, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, RC, 4 channel VTC Volume control / 42 position — electronic-relay system;

€ 32.995,--

“State of the art” PREAMP with **PHONO**, Dual chassis design; 4 x C3M 4 x EY91, 2 x 6H30, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 1 x Phono MC, 1 x Phono MM, 2x RCA/O, RC, 2 channel VTC Volume control / 42 position — electronic-relay system;
Limited availability!

€ 25.000,--

AURIS II



“Reference ” Preamp-**Balanced , Modular & upgradable design**; 4 x 6H30 PSE output stage, 4x Line In/RCA, 1 x HT/In, 2x BAL/In — XLR, 2x RCA/O, 1 x Tape Out, 1x Bal/O, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 10.000,--

“Reference ” Preamp-Unbalanced , **Modular & upgradable design**; 2 x 6H30 SE output stage, 4x Line In/RCA, 1 x HT/In, 2x RCA/O, 1 x Tape Out, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 7.500,--

Signature - Balanced

Top grade components

OPTION

+ € 2.000,--

Signature - Unbalanced

Top grade components

OPTION

+ € 1.000,--

PHONO II module

MM or MC-H (high output), MC

NEW

OPTION

+ € 2.000,--

P H O N O S T A G E

SPHERIS – Phono (Model 2018)




“State of the art ”, Dual Chassis design; 2 x MC (MC1 & MC2), 1 x Out/RCA, 1x Bal/Out, 2 x ECC81 or ECC82, 4 x 6SL7, 4 x EY91; External **AC ~ Regenerator** - Tube Power Supply & Choke regulated;
Limited availability!


€ 29.995,--

NETWORK PLAYER


S-10 II with PREAMPLIFIER

	<p>Network Player with Preamp, Modular & upgradable design, 2 x 6H30 tube output stage, RCA/O & Bal/O, RC; <u>Streamer:</u> All PCM and DSD formats, 2x USB-Type "A"; Quad electrical-analog volume control system with 2 pair analog line Inputs; <u>DAC-Digital/IN:</u> SPDIF, TosLink, USB 24-384 & DSD, USB-"B"; <u>Digital/OUT:</u> SPDIF; Ethernet-LAN & WiFi <u>PRE-Analog/IN:</u> Line 1/RCA & Line 2/RCA <u>Online Streaming services:</u> Tidal, Qobuz, HiRes Audio etc. <u>Internet Radio:</u> Airable Radio & Podcast <u>Other Services:</u> Roon ready, Audirvana & JRiver Media server</p>	<p>€ 6.995.--</p>
SIGNATURE version	PCM-DSD converter for all PCM signals (DAC, USB and Streamer) High-quality coupling capacitors; OPTION	<p>+ € 1.995.--</p>
JRiver BLACKBOX -SERVER for S-10 II XS, S-10 II Standard & S-10 II Signature version	Plug and play ready with JRiver BlackBox Server unit; Second self-sufficient Streamer Module with independent power supply and upgradable Firmware & Hard disk - SSD 1TB (add mounting rack & all connectors for SSD installed), Top-quality capacitors in the audio signal path installed for best sound performance (only for JR BlackBox server version) OPTION	<p>+ € 1.995.--</p> <p style="color: red; font-weight: bold;">NEW</p>

S-5

	<p>Network Player, Dual chassis design; 4 x 6H30 PSE tube output stage, 4x 6C4P tube rectifier, Dual Choke, 3 x Power transformer, RCA/O & Bal/O, 2 x Line /IN- RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC; <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A"; <u>Digital/Out:</u> SPDIF; Ethernet-LAN & WiFi</p>	<p>€ 14.695.--</p>
--	---	--------------------

S-5 « XS »

	<p>Network Player, Dual chassis design; 4 x 6922 PSE tube output stage, 4x 6Z4 tube rectifier, Dual Choke, 3 x Power transformer, RCA/O & Bal/O, 2 x Line /IN- RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC; <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A"; <u>Digital/Out:</u> SPDIF; Ethernet-LAN & WiFi</p>	<p>€ 8.995.--</p> <p style="color: red; font-weight: bold;">NEW</p>
---	--	---

CD - PLAYER

CD-10 II



CD-Player, Top Loader; **Modular & upgradable design**,
 2x 6N6P SE tube output stage, RCA/O & Bal/O, Volume output control, RC;
PCM - Digital /IN: USB-24/384kHz, SPDIF, TosLink;
DSD - Digital /IN: USB-DSD;
Digital/Out: SPDIF;

€ 3.995,--

Signature

PCM-DSD converter for all PCM signals (CD, DAC, USB)
 High-quality coupling capacitors;

OPTION

+ € 995,--

Ultimate

PCM-DSD converter for all PCM signals (DAC, USB and Streamer)
 6H30 Tube-output-stage, 1% component selection in the signal path range, Top-quality coupling capacitors and parts;

OPTION

+ € 1.995,--

CD-35 II



CD-Player, "Reference" - Top Loader;
Modular & upgradable design,
 2 x 6H30 & 2 x 5687 SE tube output stage, RCA/O & Bal/O,
 Electric-Analog-Switch Volume output control system,
 2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;
 *2 x Line input – RCA, 1x Balanced input - XLR;
PCM-Digital/In: USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;
DSD - Digital /IN: USB –DSD; 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 7.995,--

Signature

PCM-DSD converter for all PCM signals (CD, DAC, USB)
 High-quality coupling capacitors;

OPTION

+ € 1.995,--

CD-35 II « HF Edition »



CD-Player, "Reference" - Top Loader;
Modular & upgradable design,
 2 x 6H30 & 2 x 5687 SE tube output stage, RCA/O & Bal/O,
 Electric-Analog-Switch Volume output control system,
 2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;
 2 x Line input – RCA, 1x Balanced input - XLR;
PCM-Digital/In: USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;
DSD - Digital /IN: USB; 3 x BNC for DSD (DSD-L, DSD-R & WCK);
 PCM-DSD converter for all PCM signals (DAC, USB and Streamer)
"HF Edition: 8 x V-cap TTF coupling capacitors; 4 x Franc Audio - Ceramic Feet; 2 x WBT-210 NextGen RCA Jacks;
 20 x Tantalum 2-Watt resistors for tube output-stage;
 2 x AKM 4497EQ for DAC; Black Finish for cooling slots, Top plate buttons, CD-LID and CD-inside housing;
 All important components are matched at 1% level.

€ 19.995,--

NEW

Limited at 35 pieces & only one piece per month is produced!

CD - TRANSPORT

CD-T II



CD-Transport, "Reference" – Top Loader;
 2 x 6H14 tube buffer for digital output – switchable,
 2x power transformer, Word Sync In, RC;
PCM-Digital/ Tube-Out: SPDIF, AES/EBU, BNC,
PCM-Digital/Transistor Out: I2S, SPDIF, AES/EBU, BNC, TosLink;
*DSD – Digital /Out: 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 5.995,--

Signature

* PCM-DSD converter for CD-PCM signals;
 Second 6H14 tube activated

+ € 995,--

OPTION

DIGITAL / ANALOG – CONVERTER (DAC)

STEALTH « XS »



D/A -Converter

4 x 6NP6 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;
PCM – Digital /IN: USB–24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 4.995,--

NEW

STEALTH



D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC;
PCM – Digital /IN: USB–24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 6.995,--

STRATOS



D/A -Converter

4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 3 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Dual Electric-Analog-Switch Volume output control, RC;
PCM – Digital /IN: USB–24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink,
DSD – Digital /IN: USB –DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);

€ 9.995,--



Ayon® is a registered Trademark, all rights reserved

Prijswijzigingen en wijzigingen in specificaties voorbehouden

Distributeur: Mafico, Dorsvloerweg 897, 2661 MN Bergschenhoek; 010-4148426